

---

Subject: 10 mg Fin für 2 Jahre bei 22 Männern von 16-30  
Posted by [Pandemonium](#) on Sun, 26 Mar 2017 11:33:08 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Interessante Studie von 1996

Effect of finasteride on human testicular steroidogenesis.  
<http://onlinelibrary.wiley.com/doi/10.1002/j.1939-4640.1996.tb01828.x/abstract>  
(Volltext verfügbar)

22 Männer im Alter von 16-30 bekommen für 2 Jahre täglich 10 mg Fin oral verabreicht. Es sind also auch 16-Jährige darunter (wie viele geht nicht hervor).

Interessante Passagen:

None of the 22 males treated with finasteride reported decreased libido, impotence, or other side effects.

Complete arrest of hair loss during the 2 years of treatment was noted by all 22 patients.

Four patients, previously classified with type IV baldness (Hamilton, 1951) experienced enough hair growth [...] to be reclassified as type II, and two patients with baldness type V became type IV.

A progressive decrease in the size of the prostate by digital rectal examination was noted [...] 6 months were required to achieve maximal prostate shrinkage.

No changes in testicular volume (Hodengröße) were noticed.

[...] testosterone concentrations were significantly increased after 3 months of finasteride treatment ( $P < 0.005$ ), whereas DHT was decreased approximately 75% [...] -> etwas mehr als mit 5 mg Fin

Estrogen concentrations were also increased ( $P < 0.05$ ) by finasteride treatment [...]

The effects of finasteride on hormonal levels were seen after the first 3 months of treatment, and they were maintained without significant change throughout the 2 years.

Dieser Thread soll weder zu einer Überdosierung von Fin ( $> 1$  mg), noch zur Anwendung bei unter 18-Jährigen animieren.

Schönen Sonntag

---