
Subject: Proscar 1 mal die woche 5 mg

Posted by [pilos](#) on Wed, 07 Nov 2007 15:26:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

pilos schrieb am Fre, 02 November 2007 19:40El Mariachi schrieb am Fre, 02 November 2007 19:13

Ich denke nicht, das dass funktionieren wird. Bei der geringen Halbwertszeit von Finasterid wirst du mit einmal wöchentlicher Einnahme nie und nimmer einen steady-state erreichen, egal wie hoch die Dosierung ist. Lieber teilen und täglich nehmen oder gleich Propecia kaufen.

Bis dann
Hans

The mean plasma elimination half-life of finasteride is 4.8—6 hours (range, 3—16 hours); however, the turnover rate for the type II 5alpha-reductase enzyme complex is slow, with a turnover half-life of approximately 30 days.

A single dose of finasteride suppresses serum DHT levels for up to 4 days, longer than would be expected from the serum terminal elimination half-life ($t_{1/2z}$) of the drug : this is probably due to the high affinity that finasteride has for the 5a-reductase enzyme.

hier extra für @tino...der held.....

gruß vom perrückenverkäufer....

File Attachments

1) [socks_11.jpg](#), downloaded 3246 times




Fig. 2. Plasma levels of dihydrotestosterone (DHT) (ng/dL) before and up to 7 days after a single dose between 5 and 0.04 mg finasteride.